## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently Amended) A method of configuring a digital camera capable of capturing an image, the method comprising:

providing more than one format selection to be used in capturing the digital image, each format selection corresponding to a unique set of parameters for the capture of the digital image;

assigning an icon to each of said more than one format selections;

displaying each of said icons in a user interface of the digital cameral;

receiving an input for selecting one format selection, said input being a selection of one of said icons; and

retrieving a set of parameters associated with the format selection <u>in response to</u>

<u>said receiving the input for selecting said one format selection;</u>

wherein the set of parameters for each of said more than one format selection include settings for compression level, color depth, height resolution and width resolution.

2. (Original) A method in accordance with Claim 1, further comprising: setting the operational parameters of the camera to the retrieved set of parameters.

2

- 3. (Original) A method in accordance with Claim 2, further comprising: capturing the digital image using said set of parameters.
- 4. (Canceled)
- 5. (Currently Amended) A method in accordance with Claim [[4]] 1, wherein providing comprises providing at least two format selections, the set of parameters of a first format selection including a higher resolution setting than that of the set of parameters of a second format selection.
- 6. (Currently Amended) A method in accordance with Claim [[4]] 1, wherein providing comprises providing at least two format selections, the set of parameters of a first format selection including a higher compression setting than that of the set of parameters of a second format selection.
- 7. (Currently Amended) A method in accordance with Claim 1, wherein at least one parameter of the set of parameters is selected from the group consisting of height resolution, width resolution, total resolution, compression level, color depth, stereoscopic toggle, black/white color toggle, and black/white greyscale level, and combinations thereof.
- 8. (Canceled)

3

- 9. (Original) A method in accordance with Claim 1, further comprising: assigning a unique name to each of the format selections.
- 10. (Currently Amended) A method in accordance with Claim 1, further comprising: wherein each of said icons is a assigning a unique icon to each of the format selections.
- 11. (Original) A method in accordance with Claim 1, further comprising:
  assigning the parameters associated with a format selection to default values.
- 12. (Original) A method in accordance with Claim 1, further comprising: modifying at least one parameter of a set of parameters associated with a format selection.
- 13. (Original) A method in accordance with Claim 1, further comprising:

  generating a new format selection including an associated set of parameters.
- 14. (Currently Amended) A digital camera user interface comprising:
  means for assigning at least one shortcut to a unique set of operational parameters
  suitable for capturing a digital image with the digital camera; and

means for permitting a user to select the at least one shortcut; and

means for adding a new shortcut and assigning operational parameters to said new shortcut;

wherein the set of operational parameters include settings for compression level, color depth, height resolution and width resolution.

## 15. (Canceled)

- 16. (Original) A user interface in accordance with Claim 15, wherein the at least one shortcut comprises at least two shortcuts, the set of parameters of a first shortcut including a higher resolution setting than that of the set of parameters of a second shortcut.
- 17. (Original) A user interface in accordance with Claim 15, wherein the at least one shortcut comprises at least two shortcuts, the set of parameters of a first shortcut including a higher compression setting than that of the set of parameters of a second shortcut.
- 18. (Original) A user interface in accordance with Claim 14, further comprising: means for changing at least one parameter of a set of parameters of at least one shortcut.
- 19. (Original) A user interface in accordance with Claim 14, further comprising: means for changing the settings of the digital camera to include the set of

5

operational parameters.

20. (Original) A user interface in accordance with Claim 14, wherein the means for permitting further comprises:

means for bypassing the at least one shortcut; and means for permitting a user to directly select camera operational parameters.

## 21. (Canceled)

- 22. (CurrentlyAmended) A user interface in accordance with Claim 21 14, wherein the means for assigning operational parameters to said new shortcut comprises means for assigning default values for said operational parameters.
- 23. (Original) A user interface in accordance with Claim 14, further comprising means for assigning the parameters associated with a shortcut to default values.
- 24. (Original) A user interface in accordance with Claim 14, wherein at least one parameter of the set of parameters is selected from the group consisting of height resolution, width resolution, total resolution, compression level, color depth, stereoscopic toggle, black/white color toggle, and black/white greyscale level, and combinations thereof.

25. (Currently Amended) A digital camera user interface comprising:

logic configured to assign at least one shortcut to a unique set of operational parameters suitable for capturing a digital image with the digital camera; and logic configured to permit a user to select the at least one shortcut; and logic configured to add a new shortcut and assign operational parameters to said new shortcut;

wherein the set of operational parameters include settings for compression level, color depth, height resolution and width resolution.

- 26. (Original) A user interface in accordance with Claim 25, wherein the operational parameters comprise resolution and compression level.
- 27. (Original) A user interface in accordance with Claim 26, wherein the at least one shortcut comprises at least two shortcuts, the set of parameters of a first shortcut including a higher resolution setting than that of the set of parameters of a second shortcut.
- 28. (Original) A user interface in accordance with Claim 26, wherein the at least one shortcut comprises at least two shortcuts, the set of parameters of a first shortcut including a higher compression setting than that of the set of parameters of a second shortcut.
- 29. (Original) A user interface in accordance with Claim 25, further comprising:

  logic configured to change at least one parameter of a set of parameters of at least

one shortcut.

- 30. (Original) A user interface in accordance with Claim 29, further comprising:

  logic configured to change the settings of the digital camera to include the set of operational parameters.
- 31. (Original) A user interface in accordance with Claim 25, wherein the logic configured to permit further comprises:

logic configured to bypass the at least one shortcut; and logic configured to permit a user to directly select camera operational parameters.

- 32. (Canceled)
- 33. (Currently Amended) A user interface in accordance with Claim 32 25, wherein the logic configured to assign operational parameters to said new shortcut comprises logic configured to assign default values for said operational parameters.
- 34. (Original) A user interface in accordance with Claim 25, further comprising logic configured to assign the parameters associated with a shortcut to default values.
- 35. (Currently Amended) A user interface in accordance with Claim 25, wherein at least one parameter of the set of parameters is selected from the group consisting of height

resolution, width resolution, total resolution, eompression level, color depth, stereoscopic toggle, black/white - color toggle, and black/white greyscale level, and combinations thereof.

- 36. (Previously Presented) A method in accordance with Claim 9, wherein the unique name indicates an intended usage of the digital image for which said retrieved a set of parameters associated with the format selection is suitable.
- 37. (Previously Presented) A user interface in accordance with Claim 14, further comprising:

assigning a unique name to said at least one shortcut;

wherein the unique name indicates an intended usage of a digital image for which said unique set of operational parameters is suitable.

38. (Previously Presented) A user interface in accordance with Claim 25, further comprising:

assigning a unique name to said at least one shortcut;

wherein the unique name indicates an intended usage of a digital image for which said unique set of operational parameters is suitable.